





WATER FILME NOZZLE (N.WF)

Operating instructions

CONTENTS

- 1- All models of N.WF nozzle
- 2- Technical detailes


1- All models of N.WF nozzle




N.WF-25-L30 N.WF-25-L45 N.WF-25-L60

Figure 1-1

1-2 Identification Codes



2- Technical details



WATER FILME NOZZLE							
TYPE		N.WF					
		25-L30		25-L45		25-L60	
Dimensions (mm)	A	85		85		85	
	B	300		450		600	
Description		Water consumption (m3/hr)	Pressure drop (bar)	Water consumption (m3/hr)	Pressure drop (bar)	Water consumption (m3/hr)	Pressure drop (bar)
Fountain diameter (Ø mm)	30	2.4	0.13				
	40	2.6	0.16	2.6	0.16		
	50	3.2	0.20	3.2	0.20	3.2	0.20
	60	3.7	0.22	3.7	0.22	3.7	0.22
	70			4.0	0.27	4.0	0.27
	80			4.5	0.31	4.5	0.31
	90					5.0	0.35
	110					5.5	0.40
Fitting size		G-1"					
Weight		2.1 kg		2.3 kg		2.5 kg	
Material		Stanless steel 304 - Brass					
Order code		N.WF-25-H30		N.WF-25-H45		N.WF-25-H60	



GSO FOUNTAIN COMPANY
www.gsofountain.com