



## Waterfall Nozzle



## 1. All models of N.WF.SA





Figure 1-1

## ★ Identification codes



## 2. Technical details




Figure 2-1

Waterfall Nozzle Series.A										
Type	WF-30	WF-40	WF-60	WF-80	WF-100	WF-120	WF-150	WF170	WF-200	
Dimensions (mm)	A	300	400	600	800	100	1200	1480	1700	2000
	B	135								
	C	115								
	D	100+100	150+150	250+250	350+350	450+450	550+550	690+690	800+800	950+950
	E	55								
	F	35								
Details of the fountain	Height (m)	FLOW (m3/hr)								
	0.5	2.0	2.5	3.5	5.0	6.5	8.0	10	12	15
	0.75	2.5	3.0	4.5	6.0	7.8	9	13	15	19
	1.00				7.2	9.0	10	14	17	22
	1.25						11	15	19	25
Nozzle Pressure Drop (bar)	0.1									
Connection Size (Inch)	2 x G1"					4 x G1"		6 x G1"		
Water Inlets No.	<u>1 x Back</u> 1 x Down					<u>2 x Back</u> 2 x Down		<u>3 x Back</u> 3 x Down		
Material	Stainless Steel ( 304 / 316)									
Weight (kg)	2.0	2.5	3.5	4.5	5.7	6.2	8.5	9.5	11	

## CONTACT US

---

Tel/Fax: +9821 6691 0472

Mob: +9891 2924 2670

+9891 2924 2671

+9891 2924 2672

[www.gsofountain.com](http://www.gsofountain.com)

[info@gsofountain.com](mailto:info@gsofountain.com)